


BREMEN ARENA (Halle 1)	BREMEN ARENA Foyer	Halle 2	Halle 3	Halle 4.0	Foyer Halle 4.0	Halle 4.1	Foyer Halle 4.1 incl. crossing area to CCB	Halle 5	Foyer Halle 5	Halle 6	Foyer Halle 6	Halle 7
Passageway Clear height: 4,50m 21,00m x 6,75m												

1.	Exhibition space (gross m²)	2.750	1.100	2.000 ²⁾	1.750 ²⁾	4.300 ²⁾	980 ⁸⁾	2.100	---- upon consultation	10.300	1.100 ²⁾	4.800	550 ²⁾	4.000
2.	Location of hall	ground floor	ground floor	ground floor	ground floor	ground floor	ground floor	first floor	first floor	ground floor	ground floor	ground floor	ground floor	ground floor
	Length (in m)	77,50		66,00	70,00	54,50	54,50	54,50	54,50	117,50	117,50	54,50	54,50	75,00
	Width (in m)	40,00		29,50	23,50	79,50	20,50	39,50	6,50	88,00	12,00	88,00	12,00	54,00
	Clear height (in m) ⁷⁾	19,80 - 25,50	14,00	4,70	2,45 - 5,90	3,70 - 11,50	4,50	4,70	2,90 - 6,30	11,50	4,50	11,50	4,50	12,00
3.	Deliveries / Approach	gate C/D	gate C/D	gate D	gate D	gate E/F	gate E/F	gate D/E	gate D/E	gate E/F	gate E/F	gate E/F	gate E/F	Gate G
4.	Gates													
	Width (in m)	3,80	3,40	4,10	5,50	5,40 ⁴⁾	5,10	see elevators	see elevators	5,40 ⁴⁾	5,10	5,40 ⁴⁾	4,70	north/south 4,50 / 5,80
	Height (in m)	4,46	2,70	4,20	2,45	5,20 ⁴⁾	4,20	see elevators	see elevators	5,20 ⁴⁾	4,20	5,20 ⁴⁾	4,20	north/south 4,30 / 4,00
	Elevators	Freightlift from halle 2/4 to halle 4.1: sizes of door: 2,05 m width, 2,50 m height, interior dimensions: 3,35 m width, 4,33 m depth; load capacity 3,0 t												
5.	Hall flooring	asphalt	concrete plates	asphalt	concrete plates	asphalt	concrete plates	concrete plates	concrete plates	asphalt	concrete plates	asphalt	concrete plates	asphalt
6.	Ground loads Punktlast auf Anfrage	150 kN/m ²		150 kN/m ²	-	150 kN/m ²	5 kN/m ² ³⁾	5 kN/m ² no fork-lift trucks ³⁾		150 kN/m ²	5 kN/m ² ³⁾	150 kN/m ²	5 kN/m ² ³⁾	150 kN/m ²
7.	Window / Glass wall	no	yes	yes above 4m	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
8.	Suspension facilities from ceiling	on request												
9.	Illumination lighting intensity (in Lux)	HQI 1.000		HQI 300	Floorescent tubes 250					HQI 300				HQI 1.300
10.	Sprinkler system	no	no	no	no	yes	yes	yes	yes	no	yes	no	yes	no
11.	Smoke alarm system	yes	yes	yes	yes	yes ⁶⁾	yes	yes	yes	yes	yes	yes	yes	yes
12.	Media supply ⁵⁾	F, S, M	F, S	F, S	F, S	M	F, S	F, S	F, S	M	F, S	M	F, S	S, M
13.	LAN W-LAN	min. 2Mbit/s per port in all halls (restrictions on performance possible depending on number of users)												

¹⁾ Restrictions due to ventilation not considered
²⁾ Restriction of area due to pillars
³⁾ In the region of direct access to halls a maximum moving load acc. to DIN 1055 of 30 kN/m² is allowed

⁴⁾ Gateway north Hollerallee
⁵⁾ F = flexible cabling, S = supply point, M = media channels
⁶⁾ in low-level part of hall 4
⁷⁾ only in the forward part of hall 4

⁸⁾ restriction by escalator

 Facts & Figures	BREMEN ARENA (Halle 1)	BREMEN ARENA Foyer	Halle 2	Halle 3	Halle 4.0	Foyer Halle 4.0	Halle 4.1	Foyer Halle 4.1 incl. crossing area to CCB	Halle 5	Foyer Halle 5	Halle 6	Foyer Halle 6	Halle 7
	Passageway Clear height: 4,50m 21,00m x 6,75m												

14.	Restaurant/Bistro	yes	yes	no	yes	yes	yes	yes	yes	yes	yes	yes	no	no
	Catering-Service	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
15.	Parking space	320 parking lots in the parking garage 2.500 parking lots in the open-space area												
16.	Seating capacities													
	Theaterstyle	10.400 incl. terraces	on request	-	-	2.000	Reception on request	1.750 alternative 3x300 5x200	Reception on request	5.000	Reception on request	2.000	Reception on request	4.000
	Classroom	1.100 inner room	on request	-	-	1.000	Reception on request	850	Reception on request	2.500	Reception on request	1.000	Reception on request	1.500
	Round tables	2.000 inner room	on request	-	-	1.850	Reception on request	1.000	Reception on request	4.000	Reception on request	1.850	Reception on request	2.000

¹⁾ Restrictions due to ventilation not considered
²⁾ Restriction of area due to pillars
³⁾ In the region of direct access to halls a maximum moving load acc. to DIN 1055 of 30 kN/m² is allowed

⁴⁾ Gateway north Hollerallee
⁵⁾ F = flexible cabling, S = supply point, M = media channels
⁶⁾ in low-level part of hall 4
⁷⁾ only in the forward part of hall 4

⁸⁾ restriction by escalator